



The Discovery Series
Direct Vent Steel Stoves



Tradition & Style





VS38DV Direct vent stove with gold one piece glass door frame

Direct Vent Steel Stoves

Add warmth and elegance to any room with the Discovery VS38DV gas stove from Vermont Castings. This clean-burning, efficient steel stove has been designed with the latest direct vent technology and its large bay window provides an unobstructed panoramic view of the flames. Offering contemporary styling combined with the traditional warmth of fire, the Discovery is easy to install and enjoy in just about any room in your home.



VS38DVB Direct vent stove with Black three piece glass door frame

Lexfire Burn System™

Exclusive LexFire Burn System – combines all of the elements of a natural wood fire to produce flames so realistic, you'll forget it's not real wood.

Realistic Logs – starting with hand carved samples that are perfectly proportioned to fit the stove size and viewing area and then color enhanced to match real wood.

Yellow Flames – bright yellow flames appear almost translucent in color.

Log glow – as log surfaces heat up they produce a bright

reddish orange glow, similar to wood in the secondary stages of combustion.

Ember Bed – a large area of burning ember replicates the look of wood in the final stages of combustion.

Primary Combustion Zone –primary combustion of fuel load.

LexFire Burn – gas and oxygen are precisely metered and strategically distributed to provide optimum flame presentation..



Comfort & Style

Cast in tradition and manufactured with the fine craftsmanship and attention to detail that heritage brings, a Vermont Castings stove or fireplace offers classic warmth and timeless beauty that stands out from the competition. Light the fire of comfort and style in your home and add the perfect gathering place. Add a Vermont Castings.



Built Vermont Proud and Strong



Cast Iron Direct Vent Gas Stoves

| Model | VS38DV |
|--|---------------------|
| Width | 26.5" |
| Depth | 17" |
| Height | 31.5" |
| Surround Size | - |
| Fire Viewing Area (Sq Inch) | 316 |
| Flue Size (Inches) | 4"x 6.625" |
| Fan | 160 CFM |
| BTU/hr Input Rate (NG) | 27,000 - 31,000 |
| BTU/hr Input Rate (LP) | 25,000 - 35,000 |
| FE Ratings (Cdn. Fireplace Efficiency) | 80.1% NG / 81.8% LP |
| Thermal Efficiency (%) | up to 80 |
| Heating Capacity (sq. ft.) | 1,800 |
| Shipping Weight (lbs) | 170 |

Note:

Square foot heating capacities are approximations only. They will vary depending upon the level of insulation, climate, house design, ceiling height, ambient outside temperatures and how the appliance is operated. Tested to Canadian Standards Association's CSAP4.1-02 testing method for measuring fireplace efficiency

Discovery Direct Vent Stove Features

- Bay window design
- 316 square inches of viewing area
- Thermal efficiency up to 80%
- Battery operated pilot ignitor
- Variable flame control
 - 27,000 to 38,000 Btu/hr input (natural gas)
 - 25,000 to 35,000 Btu/hr input (propane gas)
- Featuring the exclusive LexFire Burn System™ with realistically detailed full size logs, rich glowing surfaces and a large ember bed replicating the soft glow of a dying fire
- Standard heat activated blower with variable speed control
- Millivolt system operates in power outage
- Available in Natural or Propane models
- CSA design certified

Optional Accessories

- Multi-functional Ambient Technologies® remote controls available for all units



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.vermontcastings.com



Your Vermont Castings Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2009 Monessen Hearth Systems Co.

Ver.02 VC1009